




Lawson Shop Solutions



Your Business. Your MRO Needs. Your Lawson.

Optimized Inventory Management

Lawson takes time to understand your business and inventory usage patterns. A proven approach is used to plan and manage your inventory.



The Right Products For Every Job



Problem Solving People

- Lawson provides inventory management solutions on-site, online, and on the phone
- Our Special Products Sourcing Team locates hard-to-find products
- Dedicated Strategic Account Managers support multi-location contracts

Ordering is Easy

 **CALL**
866.LAWSON4U (866.529.7664)

 **CLICK**
lawsonproducts.com
e-procurement integration available

 **CONSULT**
Your Lawson Representative

Lawson's standard terms and conditions are published at lawsonproducts.com

Universal Shop Set-Up

The Universal Shop Set-Up comes with 16 of the most popular assortments utilized across all industries, including vehicle maintenance.

Tuff-Torq® Shop Set-Up*

■ CT16274BL



■ CT16274



Blue Item No.	Brown Item No.	Description
CT146ABL	CT146A	Tuff-Torq Hex Fastening System Assortment
LP135BL	LP135	Phillips Pan Head Sheet Metal Screw Asst.
LP196BL	LP196	Hex Washer Head Self-Drilling Screw Asst.
LP251BL	LP251	Phillips Pan Head Machine Screw Assortment
LP479BL	LP479	Hardflex® Reciprocating Saw Blade Asst.
LP191BL	LP191	Nylon Insulated Electrical Terminal Assortment
LP529BL	LP529	Black Cable Tie Assortment
LP379BL	LP379	Heat Shrink Tubing Assortment
LP408BL	LP408	Wire Connector Assortment
LP86BL	LP86	Grease Fitting Assortment
LP96BL	LP96	Buna-N O-Ring Assortment
LP167BL	LP167	Universal Brass Pipe Fittings Assortment
LP432BL	LP432	Super 77 Hose Clamp Assortment
LP841BL	LP841	Tuff-Grit Twist-On Zirconium Abrasive Disc Asst.
LP276BL	LP276	Plastic Covered Primary Wire Assortment
DK9590BL	DK9590	Universal Chemical Maintenance Kit



Need a Grade 5 Fastening System instead of Tuff-Torq® We also offer the Grade 5 Shop Set-Up

- Includes CT145A instead of CT146A
- Item Number CT16270BL



Item Number CT16270



*Lawson storage solutions are now available in

■ Blue or ■ Brown



Build Your Shop Your Way With Lawson's New Assortment Bundles

Each of the bundles include your choice of a four drawer assortment rack, including roller rack and stand, and your choice of matched hex fastening system with bin.



OR



1. Choose Your Four Drawer Assortments

2. Choose Your Hex Fastening System



Fastener Assortments

Pan Head Phillips Sheet Metal Screws Assortment:
24 Items, 685 Pieces

Hex Washer Head Self-Drilling Screw Assortment:
23 Items, 875 Pieces

Phillips Pan Head Machine Screws and Nuts Assortment:
24 Items, 1,200 Pieces

Hardflex Reciprocating Saw Blade Assortment:
6 Items, 40 Pieces



Grade 8

Tuff-Torq® Grade 8 Assortment
40 Items, 3,595 Pieces

CT162A1BL



CT162A1



Grade 5

Grade 5 Assortment
40 Items, 3975 Pieces

CT162B1BL



CT162B1



Electrical Assortments

Nylon Insulated Electrical Terminal Assortment:
24 Items, 355 Pieces

Black Nylon Cable Tie Assortment:
5 Items, 375 Pieces

Heat Shrink Tubing Assortment:
6 Items, 45 Pieces

Wire Connector Assortment:
13 Items, 410 Pieces



Grade 8

Tuff-Torq® Grade 8 Assortment
40 Items, 3,595 Pieces

CT162A2BL



CT162A2



Grade 5

Grade 5 Assortment
40 Items, 3975 Pieces

CT162B2BL



CT162B2



Fluid Power Assortments

Grease Fitting Assortment:
11 Items, 115 Pieces

Buna-N Small Diameter O-Ring Assortment:
24 Items, 400 Pieces

Universal Brass Pipe Fitting Assortment:
24 Items, 110 Pieces

Super 77 Hose Clamp Assortment:
7 Items, 80 Pieces



Grade 8

Tuff-Torq® Grade 8 Assortment
40 Items, 3,595 Pieces

CT162A3BL



CT162A3



Grade 5

Grade 5 Assortment
40 Items, 3975 Pieces

CT162B3BL



CT162B3





Enhance Your Shop With Add-On Assortment Sets

Lawson keeps your small parts inventory stocked with the parts you need most often to keep your business running.

Select from the four drawer add-on sets below, bundled with the most essential items from fasteners, electrical, or fluid power. Our modular storage solutions make it easy to expand.



Other Essential Assortments

- | | | |
|----------|--------|---|
| LP841BL | LP841 | Tuff-Grit Twist-On Zirconium Abrasive Disc Assortment |
| LP276BL | LP276 | Cross-Linked Primary Wire Assortment |
| DK9590BL | DK9590 | Universal Chemical Maintenance Kit |



Fastener Assortments

CT162S1BL



CT162S1



Pan Head Phillips Sheet Metal Screws Assortment:
24 Items, 685 Pieces



Hex Washer Head Self-Drilling Screw Assortment:
23 Items, 875 Pieces



Phillips Pan Head Sheet Metal Screws and Nuts Assortment:
24 Items, 1,200 Pieces



Hardflex Reciprocating Saw Blade Assortment:
6 Items, 40 Pieces



Electrical Assortments

CT162S2BL



CT162S2



Nylon Insulated Electrical Terminal Assortment:
24 Items, 355 Pieces



Black Nylon Cable Tie Assortment:
5 Items, 375 Pieces



Heat Shrink Tubing Assortment:
6 Items, 45 Pieces



Wire Connector Assortment:
13 Items, 410 Pieces



Fluid Power Assortments

CT162S3BL



CT162S3



Grease Fitting Assortment:
11 Items, 115 Pieces



Buna-N Small Diameter O-Ring Assortment:
24 Items, 400 Pieces



Universal Brass Pipe Fitting Assortment:
24 Items, 110 Pieces



Super 77 Hose Clamp Assortment:
7 Items, 80 Pieces

THE RIGHT PRODUCTS

For Your Application



FASTENERS
PAGES 3-5, 7-13, 48-49



AUTOMOTIVE
lawsonproducts.com



ABRASIVES
PAGES 3-5, 14-18, 48-49



MATERIAL HANDLING
lawsonproducts.com



CUTTING TOOLS
PAGES 3-5, 19-21, 49



SAFETY
lawsonproducts.com



CHEMICALS
PAGES 3, 22-31, 48



SHOP SUPPLIES
lawsonproducts.com



ELECTRICAL
PAGES 3-5, 32-39, 48-49



HAND AND POWER TOOLS
lawsonproducts.com



WELDING
PAGE 39



STORAGE EQUIPMENT
lawsonproducts.com



FLUID POWER
PAGES 3-5, 40-49



PARTS WASHING
lawsonproducts.com

Lawson Has Over 70 Years Experience
Partnering With Your Industry
And We Take The Time To Know *Your* Business


Equipment
Rental


Truck &
Transportation


Waste
Management


Construction


Mining &
Quarry


Utilities


Civil
Engineering


Oil & Gas


Manufacturing-
Heavy


Manufacturing-
Food & Beverage


Manufacturing-
Construction Materials

PROBLEM SOLVER

A fastening system is only as strong as its weakest link.

PROBLEM:

Standard and mismatched production-grade 8 fasteners often fail in maintenance applications.

- Bolts break, bend, seize, strip, twist, and elongate
- Hex nuts strip or seize
- Flat washers bend, dish or warp
- Added costs due to unnecessary failure



SOLUTION:

Lawson Tru-Torq® and Tuff-Torq® Maintenance Engineered Fastening Systems

- Superior consistency and holding strength when used as a system
- 20% higher head than standard cap screws for easier wrenching
- UNJ thread profile increases fatigue resistance and reduces failure



180,000 minimum
PSI tensile strength
exceeding standard Gr. 8

150,000 minimum
PSI tensile strength

Scan Code To
See it in Action



FEATURES:

Cap Screws

- Higher hex head improves wrenching for more efficient assembly
- UNJ thread design provides high-fatigue strength for high vibration applications
- Chamfered end for faster, easier assembly

Hex Nut

- Heat-treated to maximize strength and durability
- Extra thick hex nut (Tru-Torq® only)
- Polymer-coated threads control friction and ensure consistent holding strength

Flat Washer

- Hardened and tempered to prevent bending, dishing, and warping
- Size marked on washer face
- Exceeds SAE and ASTM specifications

INDUSTRIES:

- Manufacturing
- Construction and Mining
- Fleet and Rental Equipment
- Agricultural Equipment






Hex Fastening System Assortments

Performance You Can Rely On Only From Lawson Products

Choose from Lawson's Tru-Torq®, Tuff-Torq® and Grade 5 brands based on your application needs and be confident knowing you've chosen the best fastener for the job.

- All assortments include the most popular capscrews, hex nuts, flat washers and lock washers*
- Sturdy steel 40-hole bin(s) included for optimal inventory management
- See catalog for assortment breakdowns

*Assortments do not include Bin Stands
Lock washers not included in Starter Assortments



Starter Assortments

Coarse

Standard Assortments

Coarse

Full Setup

Coarse

Maintenance Engineered

Tru-Torq®
Tensile Strength
180,000 PSI



CT128ABL



CT128A



16 Items
1,195 Pieces
1/4" - 1/2" diameter
3/4" - 2" lengths

CT148ABL



CT148A



40 items
3,208 pieces
1/4" - 1/2" diameter
1/2" - 4" lengths

CT158A80BL



CT158A80



56 items
3,437 pieces
1/4" - 3/4" diameter
1/2" - 6" lengths

Tuff-Torq®
Grade 8

Tensile Strength
150,000 PSI



★ Most popular

CT126ABL



CT126A



16 Items
1,425 Pieces
1/4" - 1/2" diameter
3/4" - 2" lengths

CT146ABL★



CT146A★



40 Items
3,595 Pieces
1/4" - 1/2" diameter
1/2" - 4" lengths

CT156A80BL



CT156A80



56 Items
3,842 Pieces
1/4" - 3/4" diameter
1/2" - 6" lengths

Grade 5

Tensile Strength
120,000 PSI



CT125ABL



CT125A



16 Items
1,850 Pieces
1/4" - 1/2" diameter
3/4" - 2" lengths

CT145ABL



CT145A



40 Items
3,975 Pieces
1/4" - 1/2" diameter
1/2" - 4" lengths

CT155A80BL



CT155A80



56 Items
4,500 Pieces
1/4" - 3/4" diameter
1/2" - 6" lengths

Fasteners

**Tuff-Torq® Cap Screws,
1/4" to 3/8" UNC**

- Diameters: 1/4" – 3/8"
- Lengths: 1/2" – 2"
- Includes Hex Nuts, Lock Washers, Flat Washers and Cap Screws



24 Items, 1200 Pieces

LP79BL



LP79



Fasteners

**Grade 8 Flange Bolts, Zinc Plated,
3/8" – 5/8" Diameters**

- Diameters: 3/8" – 5/8"
- Lengths: 1" – 3"
- Includes Flange Bolts and All-Metal Flange Lock Nuts



16 Items, 480 Pieces

CT902BL



CT902



Fasteners

**Premium Grade Socket
Head Cap Screws**

- Diameters: No. 10 to 1/2"
- Lengths: 1/2" – 2"



24 Items, 1025 Pieces

LP863BL



LP863



Fasteners

**Socket Set Screws,
Cup Point UNC**

- Diameters: No. 6 – 3/4"
- Lengths: 1/4" – 1"
- Includes Appropriate Hex Keys (10)



24 Items, 1025 Pieces

LP88BL



LP88



Fasteners

Metric Socket Head Cap Screws, P.C. 12.9

- Diameters: M4 – M12
- Lengths: 12mm – 70mm
- Includes Appropriate Hex Keys (6)



28 Items, 171 Pieces

LP126BL



LP126



Fasteners

Metric Socket Set Screws, Cup Point – Coarse Thread

- Diameters: M3 – M12
- Lengths: 6mm – 30mm
- Includes Appropriate Hex Keys (7)



29 Items, 177 Pieces

LP127BL



LP127



Fasteners

Phillips Pan Head Machine Screws

- Diameters: No. 6 – 1/4"
- Lengths: 1/2" – 1-1/2"
- Includes Hex Nuts



24 Items, 1200 Pieces

LP251BL



LP251



Fasteners

Supertanium® Counter-Bore Multi-Material Screws – No. 6 and No. 8 Dia.

- 13 Items, 475 Pieces
- Diameters: No. 6 – No. 8
 - Lengths: 5/8" – 2-1/2"



13 Items, 475 Pieces

LP709BL



LP709



PROBLEM SOLVER

Standard hex sheet metal screws often strip and break.

PROBLEM:


- Threads strip and heads break during typical installation
- Standard screws often fail due to poor thread engagement and inferior design
- Ordinary sheet metal screws are often difficult to start



SOLUTION:

Supertanium® Quad-Grip™ Sheet Metal and Self-Drilling Screws

- Self-locking flanged teeth draws material tight under the head for full thread engagement
- Thick flange combined with special head design help lock into the material to eliminate strip-out
- Self-piercing point penetrates the workpiece
- Heat-Treated to reduce breakage



Scan QR Code to View Video

SUPERTANIUM®



FEATURES:

- Corrosion-resistant plating
- Higher resistance to vibration
- No retightening required
- Increased shear and torsional strength

INDUSTRIES:

- Facility management
- Construction
- Automotive
- Agriculture



Available in self-piercing or self-drilling types

Fasteners

Supertanium® Quad-Grip™ Dual-Drive™ Sheet Metal Screws

- Diameters: No. 6 – 1/4"
- Lengths: 5/8" – 1-1/2"



16 Items, 800 Pieces

LP705BL



LP705



Fasteners

Supertanium® Quad-Grip™ Slotted Hex Head Self-Drilling Screws

- Diameters: No. 6 – 1/4"
- Lengths: 1/2" – 1-1/2"



16 Items, 650 Pieces

LP708BL



LP708



Fasteners

Open End Rivets

- Diameters: 1/8" and 3/16"
- Grip Range: 0.020" – 0.625"



20 Items, 665 Pieces

LP206BL



LP206



Fasteners

Open End Rivets – Aluminum Body/Aluminum Mandrel

- Diameters: 1/8", 5/32" and 3/16"
- Grip Range: 0.020" – 0.625"



15 Items, 1500 Pieces

LP913BL



LP913



Fasteners

External Retaining Rings, Small Dia.

- Diameters (Shaft): 3/16" – 2"



24 Items, 525 Pieces

LP404BL



LP404



Fasteners

Retaining Rings, Internal and External

- Diameters: 3/16" – 1-3/4"



24 Items, 250 Pieces

LP92BL



LP92



Fasteners

Hammerlock Cotter Pins, Small Wire Dia.

- Wire Diameters: 1/16" – 3/16"
- Lengths: 1/2" – 2-1/2"



24 Items, 790 Pieces

LP70BL



LP70



Fasteners

Clevis Pins, Standard and Universal

- Diameters: 1/4" – 1/2"
- Lengths: 7/8" – 2"



15 Items, 150 Pieces

LP104BL



LP104



Lawson Fastening Systems

Performance You Can Rely On Only From Lawson

Choose from Lawson's Tru-Torq® and Tuff-Torq® brands based on your application needs and be confident knowing you've chosen the best fastener for the job.



PROBLEM SOLVER

Many grinding and finishing work requires multiple abrasive wheels to finish the job.



PROBLEM:

- Time spent changing from grinding to finishing discs takes time
- Stocking both grinding and finishing disc creates inventory control challenges
- Grinding and finishing rounded or odd-shaped surfaces are difficult for standard wheels

SOLUTION:

Blue-Kote™ Discs

- One disc allows grinding and finishing, improving productivity without the need to change wheels and less inventory
- Lasts up to 25 times longer than resin fiber discs due to cleaner, cooler and faster cuts
- Flap discs incorporate zirconium cloth for excellent grinding, combined with smooth, scratch-free finishing
- Soft phenolic backing allows disc distortion during grinding and finishing, making easy work of round or odd-shaped surfaces



Scan Code To See it in Action



FEATURES:

- Aluminum backed wheels are also available
- High-performance zirconium abrasive grain for fast material removal
- Thick layers of zirconium cloth are angled so more abrasive is exposed to the work surface
- New abrasive is exposed as the cloth wears, for a more consistent finish
- Suitable for use on a wide variety of materials, including stainless steel

APPLICATIONS:

- Maintenance welders and fabricators
- Machine, tool and die shops

INDUSTRIES:

- Manufacturing
- Construction
- Fleet Maintenance
- Farming and Agriculture
- Oil and Gas, Refineries

Abrasives

Phenolic Backed Flap Disc Assortment

- Type 29
- Size: 4-1/2" x 7/8"
- Grits: 36, 60 and 80 (4 ea.)
- Zirconium grain
- Grinding wheel dispenser included (A22)



3 Items, 12 Pieces

LP871BL



LP871



Abrasives

Aluminum Backed Flap Disc Assortment

- Type 29
- Size: 4-1/2" x 7/8"
- Grits: 36, 60 and 80 (4 ea.)
- Zirconium grain
- Grinding wheel dispenser included (A22)



3 Items, 12 Pieces

LP847BL



LP847



Abrasives

Premium Aluminum Oxide Grain Grinding Wheel Assortment

Premium Aluminum Oxide Grain allows for high metal removal rate. Made in USA.

- Type 27
- Size: 4-1/2" x 1/4" x 7/8"
- Grinding wheel dispenser included (A22)



1 Item, 12 Pieces

LP848BL



LP848



Abrasives

Tuff-Grit™ Premium Zirconium Grain Grinding Wheel Assortment

Zirconium aluminum oxide grain is the longest-lasting, fastest-cutting abrasive. Outlast standard aluminum oxide discs 3-to-1.

- High cutting rates reduce total cost
- Type 27
- Size: 4-1/2" x 1/4" x 7/8"
- Grinding wheel dispenser included (A22)



1 Item, 12 Pieces

LP870BL




LP870



Abrasives

Lawson 3" Mini Cut-Off Wheel Assortment

- Type 1
- Size: 3" Dia. x 3/8" Arbor
- Aluminum Oxide grain
- Gravity feed dispenser included (1509494)



1 Item, 12 Pieces

1522006BL



1522006



Abrasives

Tuff-Grit™ Premium 3" Mini Cut-Off Wheel Assortment

- Type 1
- Size: 3" Dia. x 3/8" Arbor
- Zirconium grain
- Gravity feed dispenser included (1509494)



1 Item, 12 Pieces

1522007BL



1522007



Abrasives

Lawson 4" Cut-Off Wheel Gravity Assortment

- 1 Item, 12 Pieces
- Type 1
 - Size: 4" Dia. x 7/8" Arbor
 - Aluminum Oxide grain
 - Gravity feed dispenser included (1509495)



1 Item, 12 Pieces

1522008BL



1522008



Abrasives

Tuff-Grit™ Premium 4" Cut-Off Wheel Gravity Assortment

- Type 1
- Size: 4" Dia. x 7/8" Arbor
- Zirconium grain
- Gravity feed dispenser included (1509495)



1 Item, 12 Pieces

■ **1522009BL**



■ **1522009**



Abrasives

Lawson 4-1/2" Cut-Off Wheel Gravity Assortment

- Type 1
- Size: 4-1/2" Dia. x 7/8" Arbor
- Aluminum Oxide grain
- Gravity feed dispenser included (1509496)



1 Item, 12 Pieces

■ **1522010BL**



■ **1522010**



Abrasives

Tuff-Grit™ Premium 4-1/2" Cut-Off Wheel Gravity Assortment

- Type 1
- Size: 4-1/2" Dia. x 7/8" Arbor
- Zirconium grain
- Gravity feed dispenser included (1509496)



1 Item, 12 Pieces

■ **1522011BL**



■ **1522011**



Abrasives

Tuff-Grit™ Surface Conditioning Disc Assortment in Gravity Feed Dispenser

- Sizes: 2" and 3"
- Grades: Very Fine, Medium, Coarse
- Includes Holding Pads (2)



8 Item, 122 Pieces

LP838BL



LP838



Abrasives

Tuff-Grit™ Twist-On Coated Abrasive Disc Assortment

- Zirconium Grain
- 2" and 3" diameter in 36, 60, 80 grit (20 per grit and size)
- Includes (2) Holding Pads



8 Item, 122 Pieces

LP841BL



LP841



Abrasives

Tuff-Grit™ Twist-On Surface Conditioning Discs

- Sizes: 2" and 3"
- Grades: Very Fine, Medium, Coarse
- Includes Holding Pads (2)



8 Items, 107 Pieces

LP770BL



LP770



Abrasives

Tuff-Grit™ Twist-On Coated Abrasive Discs, Zirconium Grain

- Zirconium Grain
- Sizes: 2" and 3"
- Grits: 24, 36, 50, 60, 80, 120
- Includes Holding Pads (2)



11 Items, 92 Pieces

LP699BL



LP699



PROBLEM SOLVER

Many customers experience the following when drilling through hard steel.



PROBLEM:

- Some reamers break easily and need replacing
- They can distort existing holes, generate burred holes and create chatter
- Some require special alignment equipment, taking more time to complete the job

SOLUTION:

Regency® Reamers

- Safely cut through hard steel and produce smooth, accurate holes without burrs
- Eliminate chatter with specially designed tapered flutes
- Produce more holes per reamer due to break-resistant geometry
- Require less turning power and drilling time

REGENCY®
A LAWSON PRODUCTS BRAND



Scan Code To See it in Action



FEATURES:

- Made from high-speed tool steel
- Triple tempering process to strengthen and improve other characteristics of the metal
- Three equally spaced drive flats to positively secure chucking
- Specially designed shorter length and stronger core enable greater control
- Designed for use in hand drills

APPLICATIONS:

Facilities & Fleet

- Enlarging spring center bolt holes
- Enlarging misaligned holes
- Frame-mounted accessory items, toolboxes, and fuel tanks
- Shipyard heavy steel plate


INDUSTRIES:

- Manufacturing
- Heavy Equipment, Mining
- Farming and Agriculture
- Construction
- Transportation

Cutting Tools

Regency® Reamers

- 4 Regency® Jobber Length Drill Bits 3/16", 1/4", 5/16", 3/8"
- 4 Regency® Reamers 3/8", 1/2", 5/8", 3/4"
- Penetrate thick steel quickly and safely
- Produce smooth, accurate holes without burrs
- Produce more holes per reamer because of break-resistant geometry
- Designed for use in hand drills



OR



91894

In metal case



1561751

In high-impact storage case



PROBLEM SOLVER

Many customers have experienced the following with ordinary drill bits.



PROBLEM:

- Walking on curved surfaces
- Dulling, bending and breaking
- High-speed burnout from friction
- Chip buildup from soft material
- Drill bits spin in keyless chucks, destroying size identification

SOLUTION:

Regency® Drill Bits

- Modified split point starts holes faster and eliminates walking on curved and hard surfaces
- Tapered web design increases strength and reduces breakage
- Flats on shank prevent chuck spin - even in keyless chucks
- High-speed steel construction outperforms standard drill bits

REGENCY®
A LAWSON PRODUCTS BRAND



FEATURES:

- Available in multiple diameters and lengths
- 135° modified split point increases productivity
- Nitride margins reduce friction

APPLICATIONS:

- Drilling on curved or rounded surfaces and auto body panels
- Industrial maintenance needs
- Heat Treated Steel, Carbon Steel, Stainless steel and many other materials

INDUSTRIES:

- Industrial and Manufacturing
- Truck & Trailer
- Construction Equipment
- Automotive – Service and Collision

Cutting Tools

Regency® Jobber Length Drill Set Bundles

Cutting Tool Kits Includes:

- 29 Pc. Jobber Drill Bit Set, 1/16 to 1/2 by 64ths, 135° Modified Split Point, High Speed Steel (1)
- Tap-Ease Tapping Stick Lubricant (2)
- Bearkat Safety Glasses, Frost Blue Frame, Light Blue Lens, Scratch-Resistant Coating (1)



OR



1601022

In metal case



1601023

In high-impact storage case



Cutting Tools

CryoTool Jobber Length Drill Set Bundles

Cutting Tool Kits Includes:

- 29 Pc. Jobber Drill Bit Set, 1/16 to 1/2 by 64ths, Cryo Treated 135° Modified Split Point, High Speed Steel (1)
- Tap-Ease Tapping Stick Lubricant (2)
- Bearkat Safety Glasses, Frost Blue Frame, Light Blue Lens, Scratch-Resistant Coating (1)

1634811

In metal case



OR

1634812

In high-impact storage case



Cutting Tools

CryoBoost Drill Bits Set Bundle

Cutting Tool Kit Includes:

- CryoTool - CryoBoost Drill Bit Set 29 PC 1/16"-1/2" By 1/64" Increments, Metal Index, Stepped Tipped, Black & Gold Oxide Coating (Pack of 1)
- Tap-Ease Tapping Stick Lubricant (2)
- Bearkat Safety Glasses, Frost Blue Frame, Light Blue Lens, Scratch-Resistant Coating (1)

1636206



Cutting Tools

Step Drill Starter Bench Set

Contains three sizes of Self-Starting Multiple Hole Size Bits (Item Nos. 1528385, 1528386 and 1328387) with wood stand.

- Exclusive Lawson gold heat treatment; high-speed steel
- Two flute design allows for a quicker and cleaner cut than a single flute step drill
- Self-starting bits have non-skid tip for fast, sure starts on any surface
- Automatically deburrs the top edge of holes

1528395



PROBLEM SOLVER

Urinal drain lines often clog or run too slowly.



PROBLEM:

This Causes:

- Overflowing drain lines from uric salt buildup.
- Foul odors.
- Repeated instances of clogging.
- Expensive and time-consuming maintenance
- Trial and error of inefficient drain products.

SOLUTION:

Drummond® Free-Flow Ultra-Strength Urinal Drain Control

- Breaks through uric salt, mineral deposits, and rust deposits in urinals to restore free-flowing drains.
- Attacks, breaks down, and flushes away the source of foul urinal odors.
- Clings to drain lines and leaves a non-stick, protective coating to prevent future buildup.
- Prevents expensive repairs.



APPLICATIONS:

- Recommended for urinals in high-traffic commercial or industrial areas.

INDUSTRIES:

- Education
- Government
- Hospitality
- Manufacturing
- Medical facilities

Free-Flow Bundles

Maintain clean urinals with Free-Flow ultra-strength urinal drain control. Powers through touch uric acid salt build-up to restore full flow with these bundles.



Welcome Mats Red Cherry
1425734 - Pkg. Qty. 12



Wave 3D Mango Urinal Screens
1636232 - Pkg. Qty 10



Enzymatic Urinal Block & Screen
1636230 - Pkg. Qty. 12



Wave 3D Cucumber Melon Urinal Screens
1636233 - Pkg. Qty 10



Slant7 Urinal Screen
1636231 - Pkg. Qty. 5



Wave 3D Cotton Blossom Urinal Screens
1636234 - Pkg. Qty 10

Sanitizing and Nourishing Antibacterial Hand Soaps and Sanitizer Bundled with Your Choice of Dispenser



















*Not Available
in Canada



*Not Available
in Canada



<p>Foaming Ultra Hand Soap, 1000 ml. bag - 6-Pack and Design Series No Touch M-Fit Automatic Dispenser, White</p> <p>1636371</p> 	<p>Foaming Luxury Hand Soap, 1000 ml. Bag - 6-Pack and Design Series No Touch M-Fit Automatic Dispenser, White</p> <p>1636372</p> 	<p>Foaming Antibacterial Hand Soap 1000 ml. bag - 6-Pack and Design Series No Touch M-Fit Automatic Dispenser, White</p> <p>1636373*</p> 	<p>Foaming 62% Hand Sanitizer, 1000 ml. bag - 6-Pack and Design Series No Touch M-Fit Automatic Dispenser, White</p> <p>1636374*</p> 
<p>Foaming Ultra Hand Soap, 1000 ml. bag - 6-Pack and Design Series No Touch M-Fit Automatic Dispenser, Black</p> <p>1636375</p> 	<p>Foaming Luxury Hand Soap, 1000 ml. Bag - 6-Pack and Design Series No Touch M-Fit Automatic Dispenser, Black</p> <p>1636376</p> 	<p>Foaming Antibacterial Hand Soap 1000 ml. bag - 6-Pack and Design Series No Touch M-Fit Automatic Dispenser, Black</p> <p>1636377*</p> 	<p>Foaming 62% Hand Sanitizer, 1000 ml. bag - 6-Pack and Design Series No Touch M-Fit Automatic Dispenser, Black</p> <p>1636378*</p> 
<p>Foaming Ultra Hand Soap, 1000 ml. bag - 6-Pack and Design Series Manual Dispenser, White</p> <p>1636379</p> 	<p>Foaming Luxury Hand Soap, 1000 ml. Bag - 6-Pack and Design Series Manual Dispenser, White</p> <p>1636380</p> 	<p>Foaming Antibacterial Hand Soap 1000 ml. bag - 6-Pack and Design Series Manual Dispenser, White</p> <p>1636381*</p> 	<p>Foaming 62% Hand Sanitizer, 1000 ml. bag - 6-Pack and Design Series Manual Dispenser, White</p> <p>1636382*</p> 
<p>Foaming Ultra Hand Soap, 1000 ml. bag - 6-Pack and Design Series Manual Dispenser, Black</p> <p>1636383</p> 	<p>Foaming Luxury Hand Soap, 1000 ml. Bag - 6-Pack and Design Series Manual Dispenser, Black</p> <p>1636384</p> 	<p>Foaming Antibacterial Hand Soap 1000 ml. bag - 6-Pack and Design Series Manual Dispenser, Black</p> <p>1636385*</p> 	<p>Foaming 62% Hand Sanitizer, 1000 ml. bag - 6-Pack and Design Series Manual Dispenser, Black</p> <p>1636386*</p> 

PROBLEM SOLVER

Many penetrating oils are not effective in damp, dirty conditions.




PROBLEM:

- Can't penetrate through greases, oils or standing water
- Are not effective in freeing rust-frozen nuts and bolts
- Are highly flammable
- Do not leave behind a corrosion preventative film

SOLUTION:

Drummond® Open and Shut Penetrating Oil

- Penetrates quickly through rust, grease, and water to loosen rust-frozen parts in seconds
- Non-flammable – safer when working near batteries and other sources of ignition
- Cleans, lubricates, and protects against further rust and corrosion



DRUMMOND™
A LAWSON PRODUCTS BRAND

FEATURES:

- Non-flammable per ASTM D-3065-1 flame extension test; can be used near ignition sources
- Contains no 1,1,1-trichloroethane or ozone depleting compounds

APPLICATIONS:

- Penetrates and frees up rust frozen nuts, bolts, fittings, and linkages
- Lubricates a wide variety of surfaces such as elevator cables, chains, gears and door locks
- Displaces moisture on spark plug wires, bilge pump motors, and battery terminals

INDUSTRIES:

- Manufacturing – machine shops & equipment
- Construction, Mining, Transportation – Heavy Machinery
- Government
- Oil & Gas

Chemicals

Universal Maintenance Kit

Includes 3 cans each of:

- LPA I Light Duty Lubricant (1419795)
- Foamy Orange Natural Citrus Cleaner (97936A)
- Engage Lubricant with PTFE (1412525)
- Ogle Glass Cleaner (DA6851)
- Metalize One-Step Rust Converter (DA7490)
- Lawson Uni-Solv Auto Body and Paint Preparation Solvent (56160)



6 Items, 18 Pieces

DK9590BL



DK9590



PROBLEM SOLVER

Lubricating machinery and equipment is time-consuming and short-lived.



PROBLEM:

- Lubricants only last a short time, especially in extreme heat or cold temperatures
- Equipment freezes up in cold temperatures and loses performance at high temperatures
- Ordinary lubricant must be applied often to remain effective
- Wet, dirty equipment is difficult to lubricate and keep from corroding

SOLUTION:

Drummond® Engage with PTFE

- Advanced formulation provides long-lasting protection, even in extreme temperatures
- Displaces water and dirt to penetrate to the metal to lubricate frozen parts
- Leaves a protective film to control corrosion, protecting longer than ordinary lubricants



DRUMMOND™
A LAWSON PRODUCTS BRAND

FEATURES:

- Fortified with PTFE to provide long-lasting protection
- Capillary action breaks up and displaces rust, grit, grime and water – forcing them away
- Spreads out quickly to coat and protect the most intricate parts and machinery
- Working temperature range: -70°F to +480°F (-57°C to +249°C)

APPLICATIONS:

- Industrial lubrication
- Automotive and heavy machinery lubrication
- Electrical and communications equipment lubrication

INDUSTRIES:

- Automotive
- Manufacturing
- Construction – Heavy Machinery
- Oil & Gas
- Mining

Chemicals

Lubrication Kit

Includes 3 cans each of:

- Moly Coat Dry Film Lubricant (92964)
- Open and Shut Non-Flammable Nut and Bolt Loosener (DA6152)
- Engage High-Tech Lubricant with PTFE (1412525)
- Prizm Penetrating Gel Lubricant with PTFE (DA6881)
- Heavy-Duty Chain Lubricant (1412524)



5 Items, 15 Pieces

DK9470BL



DK9470



PROBLEM SOLVER

Most aerosol paints take multiple coats, fade over time, and have limited color selection.



PROBLEM:

This Causes:

- Money lost on multiple cans of paint.
- More cans to be added to landfill.



SOLUTION:

Lawson High Solids Paints

- Higher concentration of solids in every can means less paint covers more surface area.
- Resists rust, weather, and most chemicals.
- Heat-resistant up to 250°F (121°C)
 - Engine paints: up to 350°F (177°C)
 - High-temperature paints: up to 1,200°F (649°C)
- Wide variety of colors
- Fewer layers of paint save time and money and sends fewer cans to landfill.



Scan Code To See it in Action



APPLICATIONS:

- | | |
|---------------------------------|--------------------------|
| • Shop equipment | • Trucks |
| • Bare or rusted metal | • Construction equipment |
| • Wood | • High temperature areas |
| • Manufacturing plant equipment | • Rental equipment |
| • Fleet and farm equipment | • Schools |

INDUSTRIES:

- Agriculture
- Construction
- Equipment rental
- Manufacturing
- Transportation
- Waste management

Chemicals

HSP Universal Colors

Contains:

- 3 cans HSP Gloss Black (1509224)
- 3 cans HSP Dove Gray (1509161)
- 3 cans HSP Machinery Dark Gray (1509225)
- 3 cans HSP Gloss White (1509223)
- 3 cans HSP Flat Black (1509163)
- 1 Self Dispensing Aerosol Rack (A4)



5 Items, 15 Pieces

1536648BL



1536648



PROBLEM SOLVER

It can be difficult to remove greases, oils, and grime without using harsh solvents.



PROBLEM:

Many cleaner/degreasers:

- Contain dangerous and highly flammable solvents
- Are too weak, requiring more time and energy to clean
- Are not safe on painted surfaces and plastics
- Leave a film residue behind

SOLUTION:

Drummond® Keynote™

- Non-flammable and water based – contains no petroleum or chlorinated solvents
- Highly effective; quickly breaks down heavy deposits of greases, oils, baked-on carbon, and ink
- Strong, yet safe – won't harm most water-safe surfaces
- Washes away suspended soil without redepositing – leaving surfaces film-free



FEATURES:

- Concentrated – dilute with water for light, medium, and heavy-duty cleaning jobs
- Performs well with hot and cold water
- Formulated without phosphates – safer for waterways and marine life

APPLICATIONS:

- Highly versatile – apply using pressure washers, floor scrubbing machines, tank sprayers, mops, or trigger sprayers
- Works on a wide range of surfaces including most metals, concrete, brick, enamel, chrome, laminated plastic surfaces, rubber and plastic
- Acceptable for use in federally inspected meat and poultry plants

INDUSTRIES:

- Food Processing
- Industrial and Manufacturing
- Government and Schools

Chemicals

Keynote, with Pump and Trigger Sprayer

Contains: 2 Bull's Eye 22 fl. Oz. Trigger Sprayer bottles, 1 Drummond Plastic Transfer Pump, 5-gal Keynote

- Acceptable for use in federally inspected meat and poultry plants
- Performs in either hot or cold water
- Concentrated formula can be diluted 4 oz. per gal. (1:32) for light-duty cleaning



1636193



PROBLEM SOLVER

Some cleaners can be unhealthy for you and the environment.



PROBLEM:

Many commercial cleaners are hazardous to your health and the environment while still leaving a big mess.

This Causes:

- Skin irritation and allergic reactions due to toxic chemicals, carcinogens, or other harmful compounds.
- Landfills to fill up with wasteful packaging and the depletion of natural resources.
- Damage to marine life and waterways.
- Additional shipping costs for heavy 55 gal. drums of cleaning compounds.

DRUMMOND®
A LAWSON PRODUCTS BRAND

SOLUTION:

Drummond® Third Power™ Cleaner and Degreaser

- Quickly breaks down tough grease, oils, and grime.
- Highly versatile — apply using pressure washers, floor scrubbing machines, tank sprayers, mops, or trigger sprayers
- Non-toxic, no carcinogens, no teratogens, no mutagens, non-flammable, non-reactive.
- Does not harm to waterways, plant, or animal life.
- Supplied as a concentrate in a reusable drum — reduces
- Replenishment concentrate shipped in recyclable packaging. shipping cost.



Scan Code To
See it in Action



APPLICATIONS:

- Machinery, workstations, and concrete floors
- Cabinets, toolboxes, and counters
- Vehicle interiors and exteriors
- Food processing equipment and surfaces
- Floors, walls, ceilings, stainless steel countertops, and tiled surfaces

INDUSTRIES:

- Agriculture
- Automotive
- Construction equipment
- Equipment rental
- Facility maintenance
- Manufacturing
- Mining
- Oil & Gas
- Utilities

Chemicals

Third Power, with Pump and Trigger Sprayer

Contains: 2 Bull's Eye 22 fl. Oz. Trigger Sprayer bottles, 1 Drummond Plastic Transfer Pump, 5-gal Third Power

- Unscented, toxin free and not subject to SARA Title 313 requirements
- Will not trigger allergic reactions, asthma attacks or migraine headaches
- 99.17% VOC-free, biodegradable – contains no greenhouse gas compounds
- HMIS rating of 0,0,0 (the safest level) in the categories of health, flammability, and reactivity Institutional (schools, hospitals, public buildings) and Food Service.



1636199



Chemicals

Breakthrough, with Pump and Trigger Sprayer

Contains: 2 Bull's Eye 22 fl. Oz. Trigger Sprayer bottles, 1 Drummond Plastic Transfer Pump, 5-gal Breakthrough

- Concentrated formula can be diluted up to 1.6 oz. per gal. (1:80)
- Safe to use on aluminum, glass, and painted surfaces
- Non-toxic, non-flammable, and non-corrosive
- Acceptable for use in federally inspected meat and poultry plants



1636196



Chemicals

Earth Harmony, with Pump and Trigger Sprayer

Contains: 2 Bull's Eye 22 fl. Oz. Trigger Sprayer bottles, 1 Drummond Plastic Transfer Pump, 5-gal Earth Harmony Cleaner/Degreaser

- Non-corrosive and does not contribute to aquatic toxicity or eutrophication
- Dilution rate of 2 fl. oz. per gallon of water (1:64) to remove oil



1636205



Chemicals

Greeze Away Bundle, with Pump and Trigger Sprayer

Contains: 2 Bull's Eye 22 fl. Oz. Trigger Sprayer bottles, 1 Drummond Plastic Transfer Pump, 5-gal Greeze Away Degreaser

- Controlled foam makes this an excellent product for steam cleaning and pressure washing
- Equally effective in hard or soft, cold or warm waters
- Dilute up to 1:128



1636202



Chemicals

Blue Grease HT Cartridge and Grease Gun

Grease

- NLGI 1.5
- Calcium Sulfonate, Petroleum Grease
- Ideal for Heavy Duty Applications
- For severe environments protecting from water & corrosion
- Wide temperature range: 0°F to 554°F (-18°C to +290°C)

Grease Gun

- Painted steel body
- Professional grade extra heavy-duty construction for long life
- Lever can be adjusted for high pressure or high volume
- Allows one-hand operation



1425728



Chemicals

EP Red Grease Cartridge and Grease Gun

Grease

- Operating temperature: -10°F to +325°F (-23.3°C to +162.8°C)
- Anti Wear & Water Resistant

Grease Gun

- Painted steel body
- Professional grade extra heavy-duty construction for long life
- Lever can be adjusted for high pressure or high volume
- Allows one-hand operation



1639002



Chemicals

Dyna-Grease Li3 Cartridge and Grease Gun

Grease

- Meets Caterpillar MPGM specification – most popular specification in heavy-duty and earth moving equipment
- CAT Specs: 1E2254, 1E1487
- Contains 3% molybdenum disulfide (MoS2) – designed for extreme pressure capability to prevent wear in heavily loaded bushings and bearings

Grease Gun

- Painted steel body
- Professional grade extra heavy-duty construction for long life
- Lever can be adjusted for high pressure or high volume
- Allows one-hand operation



1639004



Chemicals

Gold Rush Grease Cartridge and Grease Gun

Grease

- Extremely low water washout value of 1.75%
- Very high Timken rating of 65 – performs at extreme pressure applications
- Wide temperature range: -20°F to +350°F (-28°C to +176°C)

Grease Gun

- Painted steel body
- Professional grade extra heavy-duty construction for long life
- Lever can be adjusted for high pressure or high volume
- Allows one-hand operation



1639003



Chemicals

Mega-Stripe SR Coatings - Stripes

A quick and effective way of installing slip-resistant stripes on a wide variety of walking surfaces. Installation is fast and easy. Extremely durable. Can be applied to rough or irregular surfaces. For indoor or outdoor use. No foul odor. Crisp, clean edges for a professional look. Abrasion resistant. Excellent chemical and solvent resistance.

- Cure time for light foot traffic: 3-4 hrs at 75°F
- Coverage: 120 linear feet at 1/4 inch wide (1/32 thickness)
- Maximum temperature: 0 to 220°F



Glow-in-the-dark

1634867



Yellow

1634873



Black

1634874



Electrical

Primary Plastic-Covered Wire

- 100' White, Red, Black, Blue, Yellow, Brown and Green
- Sizes: 14 Ga. and 16 Ga.
- Includes Rack



14 Rolls, 14 Pieces

LP276BL



LP276



PROBLEM SOLVER

Standard primary wire insulation can fail due to abrasive conditions.




PROBLEM:

- Soft insulation is very susceptible to cuts, abrasion, solvents, chemicals and moisture
- Temperature surges from current overload can damage the insulation
- Insulation burning and potential fire risk

SOLUTION:

SXL Cross-Linked Primary Wire

- Resists cuts, abrasions and damage from oil, grease, acids, solvents, and moisture
- Cross-linked Insulation prevents melting caused by temperature surges from current overload
- Insulation will not support a flame



FEATURES:

- Chemically cross-linked (SXL), thick wall, polyethylene insulation
- Temperature rating: -40°F to 275°F (-40°C to 51°C)
- A wide range of wire gauges and colors
- 60V or less

APPLICATIONS:

- Fleet Repair
- Replacing damaged wire
- Adding equipment accessories


INDUSTRIES:

- Heavy Equipment
- Mining
- Construction
- Trucking
- Agriculture
- Automotive
- Marine

Electrical

Cross-Linked Primary Wire Assortment

- 100' White, Red, Black, Blue and Green
- Sizes: 14 Ga. and 16 Ga.
- Includes Rack



10 Rolls, 10 Pieces

LP275BL



LP275



PROBLEM SOLVER

Improper electrical connections can lead to moisture and contaminant exposure, which can cause equipment failure.

PROBLEM:

- Electrical terminals have loose wires and poor tensile strength
- Connections exposed to moisture and contaminants cause electrical failures
- Normal color-coded insulators hinder the view of the crimped connection



SOLUTION:

Visa Seal Terminals and Butt Connectors

- Adhesive-lined, heat-shrink tubing protects against moisture, corrosion and connections that are exposed to high vibration
- Unique Crystal Clear™ tubing allows for visual inspection of wire strip length, wire insertion and crimp – improving the process for creating secure and protected electrical connections



FEATURES:

- Crimp and heat seal for unsurpassed strength
- Seamless barrel with wire stops and cut-away window, ensures proper wire seating
- Color-code stripe on barrel indicates proper nest and placement of crimp
- Adhesive-lined tubing creates a watertight seal

APPLICATIONS:

- Wire harness assembly and repair
- Wire splices
- Fleet and machine electrical maintenance

INDUSTRIES:

- Manufacturing
- Automotive
- Construction
- Agriculture
- Mining and Aggregate
- Marine

Electrical

Visa Seal™ Wire Terminals and Connectors

- Sizes: 22-18 Ga., 16-14 Ga. and 12-10 Ga.
- Includes Rings, Spades, Quick Slides, Butt Connectors and Step-Down Connectorsw



20 Itemss, 240 Pieces

1495191BL



1495191



PROBLEM SOLVER

Electrical connections often fail due to corrosion and tension.



PROBLEM:

- Terminals often corrode over time
- Crimped connections have poor tensile strength
- Inspection is difficult for effectiveness of crimp

SOLUTION:

Tru-Seal® Connectors and Terminals

- Completely seals when heat is applied to protect against moisture, corrosion, dirt and abrasion
- Vaporproof bond protects from moisture, air, dirt, dust, oils, and abrasion
- Clear tubing allows visual inspection of crimps - improving the process for creating secure and protected electrical connections



FEATURES:

- Unique dual wall self-seals if accidentally punctured
- 2,200 PSI tensile strength
- 600V Working voltage

APPLICATIONS:

- Exterior wire splices
- Wire harness assembly and repair
- Fleet Repair

INDUSTRIES:

- Heavy Equipment
- Construction
- Automotive and Marine
- Agriculture

Electrical

Tru-Seal® Terminals and Connectors (3-Piece Design)

- Sizes: 22--18 Ga., 16--14 Ga. and 12--10 Ga.
- Includes Butt Connectors, Rings, Quick Slides, Snap Plugs and Receptacles, and Crimping Tool



21 Items, 161 Pieces

LP259BL



LP259



 **Electrical**

Electro-Lok Nylon-Insulated Terminals, Industrial

- Sizes: 22–18 Ga., 16–14 Ga. and 12–10 Ga.
- Includes Superbutt Connectors, Rings, Spades, Quick Slides and Closed-End Connectors



24 Items, 355 Pieces

 **LP191BL**



 **LP191**



 **Electrical**

Electro-Lok Nylon-Insulated Terminals, 22–18 Ga.

- Sizes: 22–18 Ga.
- Includes Rings, Spades, Quick Slides, Disconnects, Snap Plugs and Receptacles and Superbutt Connectors



21 Items, 220 Pieces

 **LP372BL**



 **LP372**



 **Electrical**

Electro-Lok Nylon-Insulated Terminals, 16–14 Ga.

- Sizes: 16–14 Ga.
- Includes Rings, Spades, Quick Slides, Snap Plugs and Receptacles, Disconnects, Superbutt Connectors



22 Items, 220 Pieces

 **LP390BL**



 **LP390**



 **Electrical**

Electro-Lok Nylon-Insulated Terminals, 12–10 Ga. and Heavy-Duty 16–12 Ga.

- Sizes: 16–12 Ga. and 12–10 Ga.
- Includes Rings, Spades, Quick Slides and Superbutt Connectors



21 Items, 210 Pieces

 **LP391BL**



 **LP391**



PROBLEM SOLVER

Standard insulation on battery cable often leads to corrosion.




PROBLEM:

- Exposed battery terminal connections can cause corrosion
- Abrasions of cable insulation can cause corrosion
- Exposed cable when insulation pulls away from terminal can lead to corrosion
- Connections get exposed to moisture and contaminants

SOLUTION:

Tru-Shrink® Heavy Wall Heat Shrink Tubing

- Protects connection from moisture
- Resists abrasions and chemicals
- Provides strain relief and prevents insulation from pulling away from the terminal



Scan Code To See it in Action



FEATURES:

- 3-to-1 shrink ratio covering a wide range of wire sizes and terminal shapes
- Heat-activated inner wall surrounds and adheres to materials for a watertight seal
- Remains flexible at low temperature (Four hours at -67°F , -55°C)
- Four sizes cover 18 Ga. Wire to 4/0 cable
- Rated up to 600V

APPLICATIONS:

- Battery cable terminal connection repair
- Battery cable assembly

INDUSTRIES:

- Construction
- Mining
- Transportation
- Manufacturing
- Marine
- Fleet

Electrical

Heat Shrink Tubing, Heavy Wall

- Sizes: 9" x 2-4/0 Ga.; 6" x 14-6 Ga. and 8-1 Ga.
- Colors: Red and Black



6 Items, 18 Pieces

LP579BL



LP579



 **Electrical**

Heat Shrink Tubing, Dual Wall and Thin Wall, 6" Lengths

- Sizes: 20–18 Ga., 16–14 Ga., 12–10 Ga., 18–12 Ga., 12–6 Ga. and 8–2 Ga.
- Colors: Red, Blue, Yellow, Clear



6 Items, 45 Pieces

 **LP379BL**



 **LP379**



 **Electrical**

Nylon Cable Ties, Weather-Resistant Black

- Lengths: 4" – 15.25"
- Width: 0.10" – 0.30"



5 Items, 375 Pieces

 **LP529BL**



 **LP529**



No Overstocks, No Out-Of-Stocks, No Worries



At Lawson, we ensure the products you need are on-hand and stocked according to your preferences and usage.

- Eliminate time spent taking small-parts inventory and placing re-orders
- Minimize time spent looking for products in a disorganized parts room
- Reduce the number of unplanned trips to off-site stores looking for parts
- Decrease project downtime by having the right parts stocked and ready for use

PROBLEM SOLVER

Battery cable assemblies can fail due to inferior terminals.

PROBLEM:

- Improper crimping and overtightening causes battery terminal barrels and yokes to crack
- Standard terminals have poor construction
- Breakdowns occur due to vibration and extreme applications
- Terminals contain lead and offer poor conductivity



SOLUTION:

Tru-Crimp® 100 Battery Terminals

- Longer barrel with marked crimp locations ensures proper crimping
- Heavy-duty wall thickness, 31% thicker body prevents cracking
- 100% copper, tin-plated terminals provide optimal conductivity and corrosion resistance



Scan Code To
See it in Action



FEATURES:

- Higher yolk for greater post contact
- Color-coded and marked for polarity
- Chamfered barrel for easy cable entry

APPLICATIONS:

- Battery cable repair
- Battery cable assemblies

INDUSTRIES:

- Construction
- Heavy Equipment
- Fleet and Trucking
- Mining

Electrical

Tru-Crimp® 100 Battery Terminals, Lugs and Butt Connectors, 1/0 and 2/0 Ga.

- Sizes: 1/0 Ga. and 2/0 Ga.
- Includes Starter/Cable Lugs, Battery Cable Lugs, Butt Connectors, Straight Barrel Battery and Post-Top Terminals



10 Items, 32 Pieces

LP581BL



LP581



 **Electrical**

Tuff-Crimp® 100 Straight Barrel Battery Terminals

- Straight Post-Top Terminals
- Sizes: 4 Ga., 1-2 Ga., 1/0 Ga., 2/0 Ga., 3/0 Ga., 4/0 Ga. Negative and Positive Terminals



12 Items, 60 Pieces

 **LP860BL**



 **LP860**



 **Electrical**

Battery Cable Lugs, Heavy-Duty Copper

- Stud Sizes: No. 10 – 1/2"
- Wire Gauges: 8 Ga. – 4/0 Ga.



24 Items, 96 Pieces

 **LP517BL**



 **LP517**



 **Welding**

Stud Stretcher Kit

Broken Bolt Removal

- Kit contains 333 in four sizes: 5/32" (1 lb.), 1/8" (2 lbs.), 3/32" (1.5 lbs.), 1/16" (0.5 lbs.); 3330 in 3/32" size (1 lb.)



 **CW3030BL**



 **CW3030**



Fluid Power

1/4" D.O.T. Lawson Brass Push-to-Connect Fittings

- 1/4" Tube O.D. Fittings



17 Items, 76 Pieces

LP927BL



LP927



Fluid Power

3/8" D.O.T. Lawson Brass Push-to-Connect Fittings

- 3/8" Tube O.D. Fittings



15 Items, 66 Pieces

LP928BL



LP928



Fluid Power

1/2" D.O.T. Lawson Brass Push-to-Connect Fittings

- 1/2" Tube O.D. Fittings



13 Items, 41 Pieces

LP929BL



LP929



Fluid Power

5/8" D.O.T. Lawson Brass Push-to-Connect Fittings

- 5/8" Tube O.D. Fittings



7 Items, 20 Pieces

LP930BL



LP930



Fluid Power

D.O.T. Lawson Brass Push-to-Connect Fittings Assortments with Four-Drawer Roller Rack

- LP927 – 1/4" D.O.T. Lawson Brass Push-to-Connect Fittings
- LP928 – 3/8" D.O.T. Lawson Brass Push-to-Connect Fittings
- LP929 – 1/2" D.O.T. Lawson Brass Push-to-Connect Fittings
- LP930 – 5/8" D.O.T. Lawson Brass Push-to-Connect Fittings
- Four-Drawer Heavy-Duty Roller Rack (A33)



52 Items, 203 Pieces

CT16280BL



CT16280



Fluid Power

1/4" D.O.T. Lawson Brass Compression Fittings

- 1/4" Tube O.D. Fittings



11 Items, 71 Pieces

LP935BL



LP935



Fluid Power

3/8" D.O.T. Lawson Brass Compression Fittings

- 3/8" Tube O.D. Fittings



13 Items, 81 Pieces

LP936BL



LP936



Fluid Power

1/2" D.O.T. Lawson Brass Compression Fittings

- 1/2" Tube O.D. Fittings



12 Items, 73 Pieces

LP937BL



LP937



Fluid Power

5/8" D.O.T. Lawson Brass Compression Fittings

- 5/8" Tube O.D. Fittings



9 Items, 58 Pieces

LP938BL



LP938



Fluid Power

3/4" D.O.T. Lawson Brass Compression Fittings

- 3/4" Tube O.D. Fittings



7 Items, 48 Pieces

LP939BL



LP939



Fluid Power

D.O.T. Lawson Brass Compression Fittings Assortments with Four-Drawer Roller Rack

- LP935 – 1/4" D.O.T. Lawson Brass Compression Fittings
- LP936 – 3/8" D.O.T. Lawson Brass Compression Fittings
- LP937 – 1/2" D.O.T. Lawson Brass Compression Fittings
- LP938 – 5/8" D.O.T. Lawson Brass Compression Fittings
- Four-Drawer Heavy-Duty Roller Rack (A33)



45 Items, 283 Pieces

CT16282BL



CT16282



Fluid Power

3/8" D.O.T. Lawson Brass Field Attachable Fittings

- 3/8" Hose I.D. Fittings



13 Items, 98 Pieces

LP945BL



LP945



Fluid Power

1/2" D.O.T. Lawson Brass Field Attachable Fittings

- 1/2" Hose I.D. Fittings



14 Items, 93 Pieces

LP946BL



LP946



Fluid Power

D.O.T. Lawson Brass Field Attachable Fittings Assortments with Two-Drawer Roller Rack

- LP945 – 3/8" D.O.T. Lawson Brass Field Attachable Fittings
- LP946 – 1/2" D.O.T. Lawson Brass Field Attachable Fittings
- Two-Drawer Heavy-Duty Roller Rack (A1R09)



27 Items, 191 Pieces

CT16284BL



CT16284



Fluid Power

Metric Grease Fittings

- Diameters: M6 – M10
- Includes Color-Coded Caps



15 Items, 450 Pieces

LP300BL



LP300



Fluid Power

Steel Hose Adapters, Hex Head Pipe Plugs and JIC Caps and Plugs

- Diameters: 1/8" – 1"



20 Items, 64 Pieces

LP672BL



LP672



Fluid Power

Grease Fittings, Ball Check Type

- Sizes: 1/8" and 1/4"



14 Items, 150 Pieces

LP86BL



LP86



Fluid Power

Stainless Steel Hose Clamp Kit

- Contains ten each of SAE sizes 6 Mini, 10, 20, 36; twenty each of SAE sizes 4 Mini, 12 and 28; one wire rack



87143



Fluid Power

Universal Brass Pipe Fittings, Basic

- Diameters: 1/8" – 1/2"



24 Items, 110 Pieces

LP167BL



LP167



Fluid Power

Universal Brass Pipe Fittings, Advanced

- Diameters: 1/8" – 1/2"



20 Items, 70 Pieces

LP168BL



LP168



Fluid Power

Super 77 Hose Clamps, 300 Stainless Steel

- Diameter (SAE Size): 4 – 20



7 Items, 80 Pieces

LP432BL



LP432



Fluid Power

Metric Buna-N O-Rings Assortment Kit

- Diameters (I.D.): 3mm – 44mm
- Thickness: 2mm – 4mm



30 Items, 375 Pieces

LP441BL



LP441



Fluid Power

S/S Hose Clamp Assortment

- Diameter (SAE Sizes): 6 – 28



7 Items, 70 Pieces

LP702BL



LP702



Fluid Power

Buna-N O-Rings, Small Dia.

- Diameters (I.D.): 1/8" – 1-5/16"
- Thickness: 1/16" – 1/8"



24 Items, 400 Pieces


LP96BL



LP96



Don't Slow Down CRIMP IN-HOUSE



In-House Hydraulic Hose Crimping Made Easy

- Makes OEM-quality hose assemblies in the shop or in the field
- Reduces downtime and cuts your hose costs by 50%
- Use with easy-to-operate, portable, or bench-mount crimpers
- Starter assortments available with everything you need

Universal Fleet Shop Set-Up

As a trusted distributor to the Truck and Trailer industry, Lawson Products has the parts and supplies you need to keep your trucks on the road, minimize D.O.T. violations, and ensure vehicle and employee safety.

The essential fleet and D.O.T. assortments to keep your operations up and running

Blue Item No.	Brown Item No.	Description
Grade 8 Hex Fastening System 42 items, 3,800 pieces		
LP275BL	LP275	Cross-Linked Primary Wire Assortment
LP811BL	LP811	Wire Harness Repair Kit
LP352BL	LP352	Tuff-Seal Insulated Heat Seal Terminals
LP529BL	LP529	Black Cable Tie Assortment
LP652BL	LP652	MINI/ATO/MAXI Fuse Assortment
LP196BL	LP196	Hex Washer Hd Self-Drilling Screw Asst
LP385BL	LP385	Fender Washers
LP479BL	LP479	Hardflex® Reciprocating Saw Blades
LP167BL	LP167	Universal Brass Pipe Fittings, Basic
LP920BL	LP920	Brass D.O.T. Push-To-Connect Fittings
LP921BL	LP921	Brass D.O.T. Push-To-Connect Fittings
LP702BL	LP702	Stainless Steel SAE Hose Clamp
LP610BL	LP610	Grd. 8 Course Thread Nylon Insert Locknuts
5409		Air Brake Tubing, N-2 Type, Nylon
5411		Air Brake Tubing T-Hose, Nylon
54474		Brake Klean
1509224		Gloss Black Maintenance Paint HSP
1412525		Engage
DY60015441		PL-100 Penetrating Lubricant
DY60015218		RG-6000 Extreme Grease
DA6152		Open & Shut Nut & Bolt Loosener



■ CT16275BL



■ CT16275



Universal Rental Equipment Shop Set-Up

Lawson has been a part of the equipment rental industry for over 70 years, so we know a thing or two about what makes a business run smoothly. Whatever your industry focus is, our Universal Shop Set-up is a great way to ensure that you have the most commonly used products on hand to meet your ongoing maintenance requirements. Assortments and kits are available to simplify your ordering process.

We share your desire for safety and productivity to keep your employees happy and your business running at top efficiency. Please ask us how we can meet your specific needs. The essential assortments to keep your rental operations up and running.

Blue Item No.	Brown Item No.	Description
CT197ABL	CT197A	Gr. 8 Hex Fastening System
LP275BL	LP275	Cross-Linked Primary Wire Assortment
LP861BL	LP861	Elec Tape Dist Asst
87143		Hose Clamp Assortment
6635		1/4" ID Fuel Line Hose Roll
6636		5/16" ID Fuel Line Hose Roll
6637		3/8" ID Fuel Line Hose Roll
LP529BL	LP529	Black Cbl Tie Asst
LP774BL	LP774	Grnd. Disc Kit, 2" - 3", A/O, 92 Pieces
LP699BL	LP699	Grnd. Disc Kit, 2" - 3", Zirc, 92 Pieces
LP186BL	LP186	Hair Pin Cotter & Linch Pin Assortment
LP652BL	LP652	MINI/ATO/MAXI Fuse Assortment
1455867BL	1455867	Accessory Mini-Bulb Assortment
LP196BL	LP196	Hex Washer Hd Self-Drilling Screw Asst
LP251BL	LP251	Phil Pan Hd Mach Sc Asst
LP86BL	LP86	Grease Fitting Assortment
LP234BL	LP234	Univ Speed Nut Asst
1495191BL	1495191	Visa Seal-Wire Terminals and Connectors
LP379BL	LP379	Shrink Tubing Asst



Grade 8 Fastening System

CT16286BL



CT16286



Also available with an additional Metric Fastening System

CT16288BL



CT16288



Service Solutions



Scanning Solutions

- Achieve faster ordering with a hand-held bar code scanning device
- Put inventory control in your hands and eliminate manual keying errors and paper transactions



Vending Solutions

- Flexible inventory management dispenses supplies near the point of use and is available 24/7
- Configure to accommodate different sized supplies and provide intelligent usage reporting



E-Procurement Solutions

- Connect through SAP Ariba, Coupa, Oracle, and more
- Easy access to products, pricing and personalized E-Quotes from your procurement system

ORDERING IS EASY



Call

USA: 866.LAWSON4U (866.529.7664)
Canada: 800.563.1717



Click

lawsonproducts.com



Consult

Your Lawson Representative

